

Tohatsu - MFS 2.5 C L

£ 712

📍 Lymington, South East



SAL Marine Ltd
www.salmarine.com

TOHATSU
Outboards

7 YEAR LIMITED WARRANTY

MADE IN JAPAN 🇯🇵

0% FINANCE

Finance subject to status. Terms and conditions apply. Prices do not include delivery.

HONDA MARINE VOLVO PENTA SUZUKI
TOHATSU MERCURI ANNIE
HIGHFIELD RING SALMARINE
www.SALMarine.com

01590 679588

- Outboard Petrol Engines
- United Kingdom

Tohatsu 4-stroke 2.5HP Long Shaft

benefits:

Light and compact!

Front mounted shift lever, an industry first in its class!

Designed with proven technology

Greatly reduced vibration for smooth and stable running at all speeds

Greatly reduced induction noise for a quieter ride

Ultra-low emission, EU and CARB 3-Star rating approved

5 Year limited warranty

High performance and easy operation:

Digital CD ignition for easier engine starting, quicker throttle response and smoother trolling

Recoil starter with larger reel making manual starting fast and easy

Shallow water drive

6 trim positions

Adjustable steering friction for reducing steering effort

New longer tiller handle (110mm extension)

Newly designed holding grip and larger carrying handle

Fundamentals for user convenience and reliability:

Through-the-prop exhaust for a quieter ride

Thermostatically controlled cooling system for consistent engine temperature

Stainless steel water pump housing liner for outstanding durability

High grade marine aluminum alloy that provides the ultimate protection against corrosion

Zinc coating on internal water passages for superior corrosion resistance

12 litre fuel tank including fuel fittings and fuel line
Warning and protection:

Low oil pressure indicator
Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
Start-in-gear protection for safer engine starting
Over-rev. limiter

Specifications:

Maximum output 2.5 HP (2.6 KW)

Maximum operation range 4500-5500 rpm

Fuel Consumption at W.O.T 1.0 L/Hr

Number of cylinder 1

Bore x Stroke 55 x 36 mm

Displacement 86 cc

Engine lubrication system Splash

Starting System Manual

Spark plug NGK DCPR6E

Ignition timing BTDC3° - BTDC25°

Alternator output -

Volume of engine oil API Standard (SG, SH, SJ) SAE 10W-40

Engine oil capacity 0.3L w/ Filter change

Fuel tank capacity Internal 1L

Speed control Twist Grip Type

Gear reduction ratio 2.15

Emission compliance EU & CARB 3-Star

To see this ad online, go to boatsandoutboards.co.uk and search for **BU7138FC1**



SAL MARINE

HONDA
MARINE

VOLVO
PENTA

 **SUZUKI**
MARINE

 **TOHATSU**
Outboards

 **vetus**

 **nanni**
energy in blue

 **HIGHFIELD**  **FMT**
PREMIUM BOATS

Sales, Parts, Repairs, Servicing

01590 679588
www.SALMARINE.com

SAL Marine
Mill Lane
Lymington
SO41 9AZ
