

Tohatsu - MFS 15 D EPTL

£ 2,719

📍 Lymington, South East



SAL Marine Ltd
www.salmarine.com

01590 679588

- Outboard Petrol Engines
- United Kingdom
- 15

Tohatsu 4-stroke 15HP

Benefits:

Light and compact!

Designed with proven technology

Advanced cross-flow induction for smooth operation

Canister style oil filter for easy replacement

Larger capacity oil reservoir for optimum lubrication

Tuned intake system for crisp takeoffs

Ultra Low emission, EPA and CARB approved

5 Year limited Warranty

High performance and easy operation:

Digital CD ignition for easier engine starting, quicker throttle response and smoother trolling

Recoil starter with larger reel making manual starting fast and easy

Large alternator and rectifier for superior battery charging*

Front mounted shift lever for easier operation

Remote control models available

Shallow water drive*

6 trim positions*

Adjustable steering friction for reducing steering effort*

Fundamentals for user convenience and reliability:

Through-the-prop exhaust for a quieter ride

Thermostatically controlled cooling system for consistent engine temperature

Stainless steel water pump housing liner for outstanding durability

High grade marine aluminum alloy that provides the ultimate protection against corrosion
Zinc coating on internal water passages for superior corrosion resistance
12 litre fuel tank including fuel fittings and fuel line
Warning and protection:

Overheat warning (audible)
Low oil pressure warning (audible)
Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
Start-in-gear protection for safer engine starting
Over-rev. Limiter

*Certain models

** Remote control models

Specifications:

Maximum output 15HP (11.0 KW)

Maximum operation range 5000-6000 rpm

Fuel Consumption at W.O.T 5.0 L/Hr

Number of cylinder 2

Bore x Stroke 61 x 60 mm

Displacement 351 cc

Engine lubrication system Trochoid pump

Starting System Manual or Electric starter

Spark plug NGK DCPR6E

Ignition timing BTDC5° - BTDC35°

Alternator output 12V, 145W 12A

Volume of engine oil API Standard (SG, SH, SJ) SAE 10W-40

Engine oil capacity 1.0L w/ Filter change

Fuel tank capacity 12L

Speed control Remote Control or Twist Grip Type

Gear reduction ratio 2.15

Emission compliance EU & CARB 3-Star

To see this ad online, go to boatsandoutboards.co.uk and search for **BU7139029**



SAL MARINE

HONDA
MARINE

VOLVO
PENTA

 **SUZUKI**
MARINE

 **TOHATSU**
Outboards

 **vetus**

 **nanni**
energy in blue

 **HIGHFIELD**

**FMT**
PREMIUM BOATS

Sales, Parts, Repairs, Servicing

01590 679588
www.SALMARINE.com

SAL Marine
Mill Lane
Lymington
SO41 9AZ
