

Tohatsu - MFS 30 C L

£ 3,357

📍 Lymington, South East



SAL Marine Ltd
www.salmarine.com

01590 679588

- Outboard Petrol Engines
- United Kingdom
- 30

Tohatsu 4-stroke 30HP

Benefits:

- Designed with proven technology
- Advanced cross-flow induction for smooth operation
- Canister style oil filter for easy replacement
- Larger capacity oil reservoir for optimum lubrication
- Tuned intake system for crisp takeoffs
- Ultra Low emission, EPA and CARB approved
- 5 Year limited warranty
- High performance and easy operation:

Electronic fuel injection

- The boating industry's first battery-free, manual start EFI 4-stroke
- Digital CD ignition system for quicker starts
- Large alternator and rectifier for superior battery charging
- Adjustable steering friction and trim tab for reducing steering effort
- Front mounted shift lever for easier operation
- Shallow water drive, 6 tilt positions*
- Power trim and tilt*
- Remote control**
- Fundamentals for user convenience and reliability:

- Through-the-prop exhaust for a quieter ride
- Thermostatically controlled cooling system for consistent engine temperature
- Stainless steel water pump housing liner for outstanding durability

High grade marine aluminum alloy that provides the ultimate protection against corrosion
Zinc coating on internal water passages for superior corrosion resistance
25 litre fuel tank including fuel fittings and fuel line
Warning and protection:

Overheat warning (audible)
Low oil pressure warning (audible)
Safety lanyard (an essential protection feature standard on all Tohatsu outboards)
Start-in-gear protection for safer engine starting
Over-rev. Limiter

*Certain models

** Remote control models

Specifications:

Maximum output 30HP (22.1 KW)

Maximum operation range 5250-6250 rpm

Fuel Consumption at W.O.T 10.4 L/Hr

Number of cylinder 3

Bore x Stroke 61 x 60 mm

Displacement 526 cc

Engine lubrication system Trochoid pump

Starting System Manual or Electric starter

Spark plug NGK DCPR6E

Ignition timing Electronically Advanced

Alternator output 12V, 180W 15A

Volume of engine oil API Standard (SG, SH, SJ) SAE 10W-40

Engine oil capacity 1.8L w/ Filter change

Fuel tank capacity 25 L

Speed control Remote Control or Twist Grip Type

Gear reduction ratio 1.92

Emission compliance EU & CARB 3-Star

To see this ad online, go to boatsandoutboards.co.uk and search for **BU7139089**



SAL MARINE

HONDA
MARINE

VOLVO
PENTA

 **SUZUKI**
MARINE

 **TOHATSU**
Outboards

 **vetus**

 **nanni**
energy in blue

 **HIGHFIELD**

 **FMT**
PREMIUM BOATS

Sales, Parts, Repairs, Servicing

01590 679588
www.SALMARINE.com

SAL Marine
Mill Lane
Lymington
SO41 9AZ
